



Velari Labs
support@velarilabs.com
https://velarilabs.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

GHK-Cu
H26K-ETLM
04/30/2026
05/04/2026



DECLARED IDENTITY	GHK-Cu
MATRIX TYPE:	PEPTIDE
SAMPLE NAME:	GHK-Cu
SAMPLE SIZE:	100.0 mg
LOT CODE:	10




114.3 mg
Total Quantity



99.74%
Total Blend Purity

Sample	Test	Specification	Result	Status
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	114.3 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	99.74%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
05/04/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
05/04/2026

ACCUMARKLABS.COM
H26K-ETLM
05/04/2026





Velari Labs
support@velarilabs.com
<https://velarilabs.com>

SAMPLE NAME: GHK-Cu
SAMPLE CODE: H26K-ETLM
RECEIVED DATE: 04/30/2026
PUBLISHED DATE: 05/04/2026

Sample	Test	Specification	Result	Status
GHK-Cu	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
GHK-Cu	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
05/04/2026


Dr. Levi Fried MD
Lab Director
05/04/2026

ACCUMARKLABS.COM
H26K-ETLM
05/04/2026

