



Velari Labs
support@velarilabs.com
https://velarilabs.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

MOTS-c
U74A-7YA5
04/30/2026
05/04/2026



DECLARED IDENTITY: MOTS-c
MATRIX TYPE: PEPTIDE
SAMPLE NAME: MOTS-c
SAMPLE SIZE: 40.0 mg
LOT CODE: 4




42.16 mg
Total Quantity



99.47%
Total Blend Purity

Sample	Test	Specification	Result	Status
MOTS-c	IDENTITY	MOTS-c	MOTS-c	CONFORMS
MOTS-c	QUANTITY	MEASURE	42.16 mg	MEASURED
MOTS-c	PURITY	> 98.0%	99.47%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
05/04/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
05/04/2026

ACCUMARKLABS.COM
U74A-7YA5
05/04/2026





Velari Labs
support@velarilabs.com
<https://velarilabs.com>

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

MOTS-c
U74A-7YA5
04/30/2026
05/04/2026

Sample	Test	Specification	Result	Status
MOTS-c	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
MOTS-c	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
05/04/2026


Dr. Levi Fried MD
Lab Director
05/04/2026

ACCUMARKLABS.COM
U74A-7YA5
05/04/2026

