



Velari Labs
support@velarilabs.com
https://velarilabs.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

MTP 131
UWU2-A5A9
06/22/2026
06/24/2026



DECLARED IDENTITY	MTP 131
MATRIX TYPE:	PEPTIDE
SAMPLE NAME:	MTP 131
SAMPLE SIZE:	30.0 mg
LOT CODE:	5




38.2 mg
Total Quantity



99.588%
Total Blend Purity

Sample	Test	Specification	Result	Status
MTP 131	IDENTITY	MTP 131	MTP 131	CONFORMS
MTP 131	QUANTITY	MEASURE	38.2 mg	MEASURED
MTP 131	PURITY	> 98.0%	99.588%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
06/24/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
06/24/2026

ACCUMARKLABS.COM
UWU2-A5A9
06/24/2026





Velari Labs
support@velarilabs.com
<https://velarilabs.com>

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

MTP 131
UWU2-A5A9
06/22/2026
06/24/2026

Sample	Test	Specification	Result	Status
MTP 131	Endotoxin (LAL)	≤ 5.0 EU/mL	PENDING	PENDING
MTP 131	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
06/24/2026

RESULTS CERTIFIED BY:


Dr. Levi Fried MD
Lab Director
06/24/2026

ACCUMARKLABS.COM
UWU2-A5A9
06/24/2026

